

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	12207	726/1-10,16-21,26-30.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 08:30
S2	1695	S1 and (exchang\$3) with (identification key id identifier serial)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 08:30
S3	243	S2 and (previous\$2 past old) with (identification key id identifier serial) with ("using" fetch\$3 retriev\$3 find\$3 search\$3 utiliz\$5 "use")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 08:31
S7	3148	(encrypt\$3 encod\$3 endipher\$3) with (serial id identifier identification) with (public adj key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 11:38
S8	7241	(generat\$3 creat\$3 calculat\$3) with key with ("use" "using" "based" utiliz\$5 correspond\$3) with (id identifier identification serial)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 11:39
S10	901	S7 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 11:42
S11	134	S1 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 11:42

## EAST Search History

S12	114	S11 not S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 11:42
S15	55	S2 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:00
S16	0	S15 not (S3 S12)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:00
S17	194	S10 and (previous\$2 past old) with (identification key id identifier serial) with ("using" fetch\$3 retriev\$3 find\$3 search\$3 utiliz\$5 "use")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:02
S18	174	S17 not S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:03
S22	17	("20050024185"   "20050024229"   "20050026604"   "3371160"   "5457811"   "6049289"   "6067028"   "6151652"   "6275991"   "6339384"   "6431439"   "6557756"   "6570486"   "6601762"   "6667684"   "6807024").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/25 13:42
S23	4	((encrypt\$3 encod\$3 encipher\$3) with (serial id identifier identification) with (public adj key)) adj50 ((decrypt\$3 decod\$3 decipher\$) with (serial id identifier identification)) adj50 (generat\$3 creat\$3 calculat\$3) with key with ("use" "using" "based" utiliz\$5 correspond\$3) with (id identifier identification serial)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:47

## EAST Search History

S24	0	((encrypt\$3 encod\$3 encipher\$3) with (serial id identifier identification) with (public adj key)) adj100 ((decrypt\$3 decod\$3 decipher\$) with (serial id identifier identification)) adj100 ((generat\$3 creat\$3 calculat\$3) with key with ("use" "using" "based" utiliz\$5 correspond\$3) with (id identifier identification serial))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:48
S25	0	((encrypt\$3 encod\$3 encipher\$3) with (serial id identifier identification) with (public adj key)) adj150 ((decrypt\$3 decod\$3 decipher\$) with (serial id identifier identification)) adj150 ((generat\$3 creat\$3 calculat\$3) with key with ("use" "using" "based" utiliz\$5 correspond\$3) with (id identifier identification serial))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:49
S26	252	((encrypt\$3 encod\$3 encipher\$3) with (serial id identifier identification) with (public adj key)) same ((decrypt\$3 decod\$3 decipher\$) with (serial id identifier identification)) same ((generat\$3 creat\$3 calculat\$3) with key with ("use" "using" "based" utiliz\$5 correspond\$3) with (id identifier identification serial))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:49

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	18294	726/2-21.ccls. 713/150,168-181.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:12
S2	5622	(transmit\$4 send\$3 forward\$3 transfer\$4) with (id identification identifier serial) with (encrypt\$3 encod\$3 encipher\$3 c?pher\$3) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:13
S3	926289	(pair\$3 link\$3) with (portable device station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:14
S4	3003910	(connect\$3 pair\$3 link\$3) with (portable device station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:14
S5	1025	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:14
S6	651	S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:14
S7	14126	(generat\$3 creat\$3) with public with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:15

## EAST Search History

S8	336	S6 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:15
S9	26637	(stor\$3 storag\$3 save saving record\$3) with key with (serial id identification identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:15
S10	244	S8 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:16
S13	120	((transmit\$4 forward\$3 transfer\$4 send\$3) with (serial id identifier identification)) same ((search\$3 look\$3 find\$3) with key) with ("base" "based" correspond\$4 "use" "using" utiliz\$5) with (serial id identifier identification) same ((retriev\$3 fetch\$3 pull\$3) with key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 12:40
S14	12	((transmit\$4 forward\$3 transfer\$4 send\$3) with (serial id identifier identification)) same ((search\$3 look\$3 find\$3) with key) with ("base" "based" correspond\$4 "use" "using" utiliz\$5) with (serial id identifier identification) same ((retriev\$3 fetch\$3 pull\$3) with key) and (generat\$3 creat\$3 calculat\$3) with (new) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 12:41